

**DELAWARE DEPARTMENT OF
TRANSPORTATION**

ADVERTISEMENT FOR BIDS

Sealed proposals for the following contract will be received by the Department of Transportation, State of Delaware, in the Bidders Room (B1.11.01), in the DelDOT Transportation Administration Center, 800 Bay Road, U.S. Route 113 South, Dover, DE until 2:00 P.M., Local Time, July 2, 2013 and thereafter be publicly opened:

Contract No. T200800901.01
Federal Aid Project No. ESTP-S999(88)
HSIP SUSSEX COUNTY - US 9 PROJECTS
COMPLETION DATE: 334 Calendar Days
Cost of Contract Documents: No Charge for CD
Sussex County
DBE GOALS: 6%

PROSPECTIVE BIDDERS NOTE:

No retainage will be withheld on this contract.

The Department has adopted an External Complaint Procedure. The procedure can be viewed on our website at: <http://www.deldot.gov/information/business/>, or you may request a copy by calling (302) 760-2555.

This project incorporates a newer version of the electronic bidding system, Expedite 5.9a.. The installation file and instructions are available at: http://www.deldot.gov/information/business/bids/const_proj_bid_info.shtml.



| | | |
|-----------|------|---|
| 1.00 | LS | CLEARING AND GRUBBING |
| 25,108.00 | CY | EXCAVATION AND EMBANKMENT |
| 1,217.00 | CY | EXCAVATION AND BACKFILLING FOR PIPE TRENCH |
| 11.00 | CY | FLOWABLE FILL |
| 5,382.00 | CY | BORROW, TYPE A |
| 75.00 | CY | BORROW, TYPE B |
| 1,080.00 | CY | FURNISH AND INSTALL PIPE UTILITY TRENCH & STRUCTURE |
| 1.00 | LS | REMOVAL OF STRUCTURES & OBSTRUCTIONS |
| 500.00 | CY | UNDERCUT EXCAVATION |
| 500.00 | CY | SEDIMENT REMOVAL |
| 19,512.00 | LF | SILT FENCE |
| 1,108.00 | LF | REINFORCED SILT FENCE |
| 7.00 | EACH | INLET SEDIMENT CONTROL, AT GRADE INLET |
| 1.00 | EACH | SUMP PIT, TYPE 2 |
| 208.00 | TON | STABILIZED CONSTRUCTION ENTRANCE |
| 1.00 | EACH | PORTABLE SEDIMENT TANK |
| 1.00 | EACH | DEWATERING BAG |
| 8,749.00 | CY | STORMWATER MANAGEMENT POND |
| 1.00 | EACH | SKIMMER DEWATERING DEVICE |
| 8,967.00 | CY | GRADED AGGREGATE BASE COURSE, TYPE B |
| 16.00 | CY | GRADED AGGR. BASE COURSE, TYPE B, PATCH |
| 2,100.00 | TON | DELAWARE NO. 3 STONE |
| 3,150.00 | TON | WMA, SP, TYPE B, 160 GYRA, PG 64-22 |
| 3,432.00 | TON | WMA, SP, TYPE B, 160 GYRA, PG 70-22 |
| 6,599.00 | TON | WMA, SP, BCBC, 160 GYRA, PG 64-22 |
| 7.00 | TON | WMA, SP, TYPE B, 160 GYRA, PG 64-22, PATCH |

| | | |
|-----------|------|--|
| 23.00 | TON | WMA, SP, BCBC, 160 GYRA, PG 64-22, PATCH |
| 3,011.00 | TON | WMA, SP, TY C, 160 GYRA, PG 64-22, WEDGE |
| 2,644.00 | TON | WMA, SP, TY C, 160 GYRA, PG 64-22 (NON C |
| 4,384.00 | TON | WMA, SP, TY C, 160 GYRA, PG 70-22 (NON-C |
| 150.00 | TON | HT-MX BIT CON &/OR COLD LAID BIT (TRM) |
| 180.00 | LF | REINFORCED CONCRETE PIPE, 27", CLASS III |
| 109.00 | LF | REINFORCED CONCRETE PIPE, 12", CLASS IV |
| 103.00 | LF | REINFORCED CONCRETE PIPE, 15", CLASS IV |
| 59.00 | LF | REINFORCED CONCRETE PIPE, 24", CLASS IV |
| 95.00 | LF | REINFORCED CONCRETE PIPE, 18", CLASS V |
| 92.00 | LF | REINFORCED CONCRETE PIPE, 24", CLASS V |
| 590.00 | LF | REINFORCED CONCRETE PIPE, 15", CLASS V |
| 107.00 | LF | REIN CON ELLIPT PIPE, 19"X30", CLASS IV |
| 103.00 | LF | REIN CON ELLIPT PIPE, 22"X34", CLASS IV |
| 446.00 | LF | REINFORCED CONCRETE ELLIPTICAL PIPE, 14" |
| 510.00 | LF | REINFORCED CONCRETE ELLIPTICAL PIPE, 24" |
| 262.00 | LF | REINFORCED CONCRETE ELLIPTICAL PIPE, 14" |
| 1.00 | EACH | R.C. FLARED END SECTION, 18" |
| 1.00 | EACH | R.C. FLARED END SECTION, 27" |
| 5.00 | EACH | R.C. FLARED END SECTION, 14"X23" |
| 1.00 | EACH | R.C. FLARED END SECTION, 22"X34" |
| 223.00 | LF | PORTLAND CEMENT CONCRETE CURB, TYPE 2 |
| 68.00 | SF | P.C.C. SIDEWALK, 4" |
| 729.00 | SF | P. C. C. SIDEWALK, 8" |
| 32.00 | SF | SIDEWALK SURFACE DETECTABLE WARNING SYST |
| 1.00 | EACH | DRAINAGE INLET, 34" X 24" |
| 3.00 | EACH | DRAINAGE INLET, 48" X 48" |
| 2.00 | EACH | DRAINAGE INLET, 66" X 48" |
| 1.00 | EACH | DRAINAGE INLET, 72" X 72" |
| 2.00 | EACH | MANHOLE, 66" X 66" |
| 3.00 | EACH | PERSONAL GRATE FOR PIPE INLET |
| 1.00 | EACH | JUNCTION BOX, 66" X 66" |
| 4.00 | EACH | ADJUST & REPAIR EXIST. SANITARY MANHOLE |
| 455.00 | SY | RIPRAP, R-5 |
| 2,700.00 | SY | GEOTEXTILES, SEPARATION |
| 501.00 | SY | GEOTEXTILES, RIPRAP |
| 2.00 | EACH | PERMANENT WOOD BARRICADE |
| 1,333.00 | LF | CHAIN-LINK FENCE, 8' HIGH |
| 500.00 | LF | CONSTRUCTION SAFETY FENCE |
| 15.00 | EACH | MONUMENTS |
| 89.00 | EACH | RIGHT-OF-WAY MARKER, CAPPED REBAR |
| 8,560.00 | SY | TOPSOIL, (6" DEPTH) |
| 50,010.00 | SY | TOPSOILING (6" DEPTH) |
| 54,679.00 | SY | PERMANENT GRASS SEEDING, DRY GROUND |
| 3,890.00 | SY | PERMANENT GRASS SEEDING, WET GROUND |
| 500.00 | SY | TEMPORARY GRASS SEEDING, DRY GROUND |
| 10,848.00 | SY | SOIL RETENTION BLANKET MULCH, TYPE 5 |

| | | |
|------------|------|--|
| 20.00 | SY | MULCHING, PLANTS |
| 1.00 | LS | PLANTINGS |
| 1.00 | LS | MAINTENANCE OF TRAFFIC |
| 710.00 | EADY | ARROWPANELS, TYPE C |
| 530.00 | EADY | FURN & MAINT PORT CHANGEABLE MESSAGE SIG |
| 2,300.00 | EADY | FURN & MAINT PORT LIGHT ASSEMBLY |
| 29,200.00 | EADY | PLASTIC DRUMS |
| 400.00 | HOUR | TRAFFIC OFFICERS |
| 11.00 | EACH | REFLECTOR PANELS |
| 800.00 | EADY | FURNISH & MAIN. TMA, TYPE II |
| 525.00 | LF | FURN AND MAIN PORT PCC SAFETY BARRIER |
| 475.00 | LF | RELOCATING PORTABLE SAFETY BARRIER |
| 49,300.00 | LFDY | TEMPORARY BARRICADES, TYPE III |
| 24,500.00 | EADY | TEMPORARY WARNING SIGNS AND PLAQUES |
| 4.00 | EACH | INSTALL TEMPORARY IMPACT ATTENUATOR |
| 3.00 | EACH | FURN TEMP IMPACT ATTEN NON-GATING, REDIR |
| 2.00 | EACH | RELOCATE TEMPORARY IMPACT ATTENUATOR |
| 1,600.00 | HOUR | ATSSA CERTIFIED TRAFFIC CONTROL SUPERVIS |
| 5,800.00 | HOUR | FLAGGER, SUSSEX COUNTY, FEDERAL |
| 2,000.00 | HOUR | FLAGGER, SUSSEX COUNTY, FEDERAL, OVERTIM |
| 3.00 | EACH | CONDUIT JUNCTION WELL, TYPE 7, PRECAST |
| 12.00 | EACH | REMOVAL OF EXISTING JUNCTION WELL |
| 39.00 | EACH | CONDUIT JUNCTION WELL, TYPE 11, PRECAST |
| 13.00 | EACH | CONDUIT JUNCTION WELL, TYPE 14, PRECAST |
| 2,776.00 | LF | FURNISH & INSTALL UP TO 4" SCHEDULE 80 H |
| 9,749.00 | LF | FURNISH & INSTALL UP TO 4" SCHEDULE 80 P |
| 32.00 | EACH | ALUM. LIGHT STD. W/SINGLE DAVIT ARM, 35' |
| 320.00 | CF | POLE BASE EXTENSION |
| 30.00 | CY | REMOVAL OF CONCRETE POLE BASES AND CABIN |
| 12.00 | EACH | POLE BASE, TYPE 3 |
| 32.00 | EACH | POLE BASE, TYPE 6 |
| 492.00 | LF | FURNISH & INSTALL 1-CONDUCTOR #2 AWG COP |
| 11,603.00 | LF | FURNISH & INSTALL 1-CONDUCTOR #8 AWG |
| 4,441.00 | LF | FURNISH & INSTALL #6 BARE STRANDED COPP |
| 200.00 | LF | FURNISH & INSTALL 1" FLEXIBLE NON-METALL |
| 1,720.00 | LF | FURNISH & INSTALL LOOP WIRE 1-CONDUCTOR |
| 3.00 | EACH | FURNISH & INSTALL ELECTRICAL UTILITY SER |
| 3.00 | EACH | LIGHTING CONTROL AND DISTRIBUTION ENCLOS |
| 3.00 | EACH | CABINET BASE, TYPE P |
| 3.00 | EACH | CABINET BASE, TYPE R |
| 2,000.00 | SF | PERM PAVT STRIP SYM/LEG ALKYD THERMOPLAS |
| 175,000.00 | LF | TEMPORARY MARKINGS, PAINT, 4" |
| 850.00 | SF | TEMPORARY MARKINGS, PAINT SYMBOL/LEGEND |
| 482.00 | EACH | RAISED/RECESSED PAVEMENT MARKER |
| 490.00 | EACH | TEMPORARY RAISED PAVEMENT MARKERS |
| 770.00 | SF | TEMPORARY MARKINGS, TAPE, WORDS/SYMBOLS |
| 50,000.00 | SF | REMOVAL OF PAVEMENT STRIPING |

| | | |
|-----------|------|--|
| 70,500.00 | LF | PERM PAVT STRIPING, EPOXY, 5" |
| 50.00 | EACH | PREFORMED RETROREFLECTIVE THERMO PVMT MA |
| 452.00 | EACH | INSTALLATION OR REMOVAL OF TRAFFIC SIGN |
| 2.00 | EACH | INSTALLATION OF 4" DIA HOLE, LESS THAN O |
| 132.00 | SF | INSTALLATION OR REMOVAL OF TRAFFIC SIGNS |
| 93.00 | SY | REMOVAL EXIST. PCC PAVT CURB SIDEWALK |
| 13.00 | EAMO | FIELD OFFICE, TYPE I |
| 46,545.00 | SYIN | PROFILE MILLING, HOT-MIX |
| 6,498.00 | LF | SAW CUTTING, HOT MIX |
| 11,029.00 | LF | SAW CUTTING, CONCRETE (FULL DEPTH) |
| 1.00 | LS | INITIAL EXPENSE |
| 1.00 | LS | CONSTRUCTION ENGINEERING |
| 1.00 | LS | PROJECT CONTROL SYSTEM DEVELOPMENT PLN |
| 13.00 | EAMO | CPM SCHEDULE UPDATES AND/OR REVISIONS |
| 40.00 | HOUR | UTILITY CONSTRUCTION ENGINEERING |

Plans, Specifications, and Bidding Proposals may be obtained from:

Contract Administration
 Delaware Department of Transportation
 P.O. Box 778
 Dover, DE 19903
 (302) 760-2030
 (302) 739-2254

NOTE: UNOFFICIAL Plans and Specifications; and Official Questions and Answers may be viewed on the Web at <http://bids.delaware.gov> BIDDERS MUST REQUEST A CD OF THE OFFICIAL PLANS AND SPECIFICATIONS FROM THE ABOVE CONTACT IN ORDER TO SUBMIT A BID.

The Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, creed, color, sex, or national origin in consideration for an award.

When it is in the best interest of the State, DelDOT may extend the time and place for the opening of bids from that described above, on not less than two calendar days' notice by certified delivery, facsimile transmission, or by other verifiable electronic means to those bidders who obtained copies of the Plans, Specifications, and Proposals, or contract descriptions.

Each proposal must be accompanied by a deposit of either surety bond or security for a sum equal to at least 10% of the bid.

Department of Transportation
 State of Delaware
 By: Shailen P. Bhatt, Secretary
 Dover, Delaware
 June 3, 2013