

**DELAWARE DEPARTMENT OF  
TRANSPORTATION**

**ADVERTISEMENT FOR BIDS**

Sealed proposals for the following contract will be received by the Department of Transportation, State of Delaware, in the Bidders Room (B1.11.01), in the DelDOT Transportation Administration Center, 800 Bay Road, U.S. Route 113 South, Dover, DE until 2:00 P.M., Local Time, February 12, 2013 and thereafter be publicly opened:

Contract No. T201230007.01  
Federal Aid Project No. CMAQ-2012(27)  
OPEN END CONSTRUCTION SERVICES, STATEWIDE TRAILS, NCC  
COMPLETION DATE: 1,095 Calendar Days  
Cost of Contract Documents: No Charge for CD  
New Castle County  
DBE GOALS: 6%

**PROSPECTIVE BIDDERS NOTE:**

No retainage will be withheld on this contract.

The Department has adopted an External Complaint Procedure. The procedure can be viewed on our website at: <http://www.deldot.gov/information/business/>, or you may request a copy by calling (302) 760-2555.

**This project incorporates a newer version of the electronic bidding system, Expedite 5.9a..** The installation file and instructions are available at: [http://www.deldot.gov/information/business/bids/const\\_proj\\_bid\\_info.shtml](http://www.deldot.gov/information/business/bids/const_proj_bid_info.shtml).



**PROSPECTIVE BIDDERS ARE ADVISED THAT THERE WILL BE A MANDATORY PRE-BID MEETING FOR THIS CONTRACT ON Tuesday, January 29, 2013 at 3:00 pm IN THE DeIDOT ADMINISTRATION CENTER, 800 BAY ROAD, U.S. ROUTE 113 SOUTH, DOVER, DELAWARE, 19903.**

2.00	LS	CLEARING AND GRUBBING
12,947.00	CY	EXCAVATION AND EMBANKMENT
328.00	CY	EXCAVATION AND BACKFILLING FOR PIPE TREN
511.00	CY	BORROW, TYPE A
1,110.00	CY	BORROW, TYPE C
9,426.00	CY	BORROW, TYPE F
230.00	CY	FURN BORRY C FOR PIPE UTILITY TREN & STR
2.00	LS	REMOVAL OF STRUCTURES & OBSTRUCTIONS
1,336.00	CY	UNDERCUT EXCAVATION
105.00	CY	SEDIMENT REMOVAL
16,215.00	LF	SILT FENCE
5,927.00	LF	REINFORCED SILT FENCE
27.00	EACH	INLET SEDIMENT CONTROL, DRAINAGE INLET
9.00	EACH	INLET SEDIMENT CONTROL, CURB INLET
9.00	EACH	INLET SEDIMENT CONTROL, AT GRADE INLET
12.00	TON	STONE CHECK DAM
268.00	TON	STABILIZED CONSTRUCTION ENTRANCE
1.00	EACH	DEWATERING BAG
21.00	EACH	TRASH RACK
6,865.00	CY	GRADED AGGREGATE BASE COURSE, TYPE B
277.00	CY	GRADED AGGR. BASE COURSE, TYPE B, PATCH

32.00	TON	DELAWARE NO. 3 STONE
148.00	TON	DELAWARE NO. 57 STONE
5,920.00	SY	PERVIOUS BITUMINOUS ASPHALT PAVEMENT
1,821.00	TON	WMA, SP, TY C, 115 GYRA., PG 64-22 (CARB
1,269.00	TON	WMA, SP, TY C, 160 GYRA., PG 64-22 (CARB
3,523.00	TON	WMA, SP, TY B, 115 GYRA, PG 64-22
185.00	TON	WMA, SP, TY B, 160 GYRA, PG 64-22
123.00	TON	WMA, SP, BCBC, 160 GYRA, PG 64-22
102.00	TON	WMA, SP, TY C, 160 GYRA, PG 64-22, PATCH
183.00	TON	WMA, SP, TY B, 160 GYRA, PG 64-22, PATCH
92.00	TON	WMA, SP, BCBC, 160 GYRA, PG 64-22, PATCH
144.00	TON	WMA, SP, TY C, 160 GYRA, PG 64-22 (NON C
41.00	SY	PATTERNED PORTLAND CEMENT CONC PAVT, 8"
2.00	CF	REHABILITATION OF CONCRETE STRUCTURE
25.00	LF	REPAIR OF CONC STRUCT BY EPOXY INJECTION
1,000.00	SF	MODULAR BLOCK RETAINING WALL
1.00	EACH	BICYCLE RACK
200.00	LF	SILICONE JOINT SEAL
365.00	LF	STEEL HAND RAILING
4.00	SF	STONE MASONRY
200.00	LF	POINTING EXISTING STONE MASONRY
24.00	LF	REINFORCED CONCRETE PIPE, 15", CLASS IV
48.00	LF	REINFORCED CONCRETE PIPE, 18", CLASS IV
42.00	LF	REINFORCED CONCRETE PIPE, 30", CLASS IV
4.00	LF	REINFORCED CONCRETE ELLIPTICAL PIPE, 14"
550.00	LF	CORRUGATED POLYETHYLENE PIPE, TYPE S, 36
470.00	LF	CORRUGATED POLYETHYLENE PIPE, TYPE C, 18
2.00	EACH	R.C. FLARED END SECTION, 15"
1.00	EACH	R.C. FLARED END SECTION, 18"
1.00	EACH	R.C. FLARED ,END SECTION, 30"
1.00	EACH	R.C. FLARED END SECTION, 36"
11.00	EACH	CORRUGATED POLYETHYLENE FARED END SECTIO
21.00	EACH	CORRUGATED POLYETHYLENE FLARED END SECTI
3,004.00	LF	PORTLAND CEMENT CONCRETE CURB, TYPE 1-8
183.00	LF	PORTLAND CEMENT CONCRETE CURB, TYPE 2
676.00	LF	IPCC CURB & GUTTER, TYPE 1-8
256.00	LF	IPCC CURB & GUTTER, TYPE 3-8
2,350.00	SF	P.C.C. SIDEWALK, 4"
1,350.00	SF	P.C.C. SIDEWALK, 6"
1,099.00	SF	P. C. C. SIDEWALK, 8"
565.00	SF	SIDEWALK SURFACE DETECTABLE WARNING SYST
2,940.00	SF	BRICK AND/OR BLOCK SIDEWALK
1.00	EACH	TEMPORARY CURB RAMP

1,211.00	SF	TRIANGULAR CHANNELIZING ISLANDS
2.00	EACH	DRAINAGE INLET, 48" X 30"
7.00	EACH	REPLACE DRAINAGE INLET GRATE(S)
7.00	EACH	REPLACE DRAINAGE INLET FRAME(S)
1.00	EACH	MANHOLE, 48" X 48"
1.00	EACH	JUNCTION BOX, 48" X 30"
40.00	EACH	SANITARY CLEANOUT
8.00	EACH	ADJUSTING & REPAIRING EXIST DRAIN INLET
1.00	EACH	ADJUST & REPAIR EXIST. SANITARY MANHOLE
1.00	EACH	ADJUST & REPAIR EXISTING SANITARY CLEANO
1,051.00	SY	RIPRAP, R-4
38,030.00	SF	GEOGRID, STABILIZATION
1,000.00	SY	GEOTEXTILES, SEPARATION
51.00	SY	GEOTEXTILES, RIPRAP
8,784.00	LF	PERFORATED PVC PIPE UNDERDRAINS, 6"
1.00	EACH	CONVERTING EXISTING CATCH BASIN TO JUNCT
7.00	EACH	BOLLARD
1,880.00	LF	CONSTRUCTION SAFETY FENCE
22.00	EACH	MONUMENTS
870.00	LF	WOOD RAIL FENCE
800.00	LF	TEMPORARY FENCE AND BOARDWALK
8,478.00	SY	TOPSOIL (4" DEPTH)
21,573.00	SY	TOPSOIL, (6" DEPTH)
26.00	TON	TOPSOIL (TON)
8,478.00	SY	TOPSOILING (4" DEPTH)
36,548.00	SY	PERMANENT GRASS SEEDING, DRY GROUND
6,200.00	SY	TEMPORARY GRASS SEEDING, DRY GROUND
10,611.00	SY	SOIL RETENTION BLANKET MULCH, TYPE 5
4.00	EACH	TRANSPLANT.-LARGE DECID. SHADE TREES MOR
4.00	EACH	TRANS.-LARGE EVERGREEN TREES MORE THAN 8
8.00	EACH	TREE REMOVAL 6" TO 10.9"
2.00	LS	MAINTENANCE OF TRAFFIC
252.00	EADY	ARROWPANELS, TYPE C
14.00	EADY	FURN & MAINT PORT CHANGEABLE MESSAGE SIG
16,580.00	EADY	PLASTIC DRUMS
50.00	HOUR	TRAFFIC OFFICERS
56.00	EADY	FURNISH & MAIN. TMA, TYPE II
15,928.00	LFDY	TEMPORARY BARRICADES, TYPE III
9,230.00	EADY	TEMPORARY WARNING SIGNS AND PLAQUES
2,512.00	HOUR	FLAGGER, NEW CASTLE COUNTY
520.00	HOUR	FLAGGER, NEW CASTLE COUNTY, STATE, OVERT
44.00	EACH	WOODEN SIGN POSTS, 4" X 4"
11.00	EACH	WOODEN SIGN POSTS, 6" X 6"

2.00	EACH	WOODEN SIGN POSTS, 6" X 8"
64.00	EACH	TUBULAR MARKER
6.00	EACH	ADJUST OR REPAIR EXISTING CONDUIT JUNCTI
1.00	EACH	REMOVAL OF EXISTING JUNCTION WELL
10.00	EACH	CONDUIT JUNCTION WELL, TYPE 11, PRECAST
3.00	EACH	CONDUIT JUNCTION WELL, TYPE 14, PRECAST
330.00	LF	FURNISH & INSTALL UP TO 4" SCHEDULE 80 H
37.00	LF	FURNISH & INSTALL UP TO 4" SCHEDULE 80 P
1,235.00	LF	FURNISH & INSTALL UP TO 4" SCHEDULE 80 P
1.00	EACH	RELOCATING LIGHT POLE
1.00	EACH	FURNISH & INSTALL GROUND ROD
1.00	CY	REMOVAL OF CONCRETE POLE BASES AND CABIN
6.00	EACH	POLE BASE, TYPE 4
1.00	EACH	POLE BASE, TYPE 6
280.00	LF	FURNISH & INSTALL 1-CONDUCTOR #4 AWG
150.00	LF	FURNISH & INSTALL #6 BARE STRANDED COPP
72.00	LF	FURNISH & INSTALL 1" FLEXIBLE NON-METALL
489.00	LF	FURNISH & INSTALL LOOP WIRE 1-CONDUCTOR
3,305.00	SF	PERM PAVT STRIP SYM/LEG ALKYD THERMOPLAS
118.00	LF	PERMANENT PAVEMENT STRIPING, ALKYD-THERM
371.00	LF	PERM PAVT STRIPING, ALKYD-THERMOPL 5"
700.00	SF	REMOVAL OF PAVEMENT STRIPING
22,265.00	LF	PERM PAVT STRIPING, EPOXY, 5"
2,050.00	LF	PERM PAVT STRIPING, EPOXY, 10"
2.00	EACH	PREFORMED RETROREFLECTIVE THERMO PVMT MA
380.00	LF	PERM PVMT STRIPING, EPOXY RESIN PAINT, B
40.00	SF	SIGN PANEL, ADVANCE NOTICE SIGNS
1.00	EACH	SUPPLY OF RECT RAPID FLASHING BEACON (RR
288.00	EACH	INSTALLATION OR REMOVAL OF TRAFFIC SIGN
4.00	EACH	INSTALLATION OF 4" DIA HOLE, LESS THAN O
84.00	SF	INSTALLATION OR REMOVAL OF TRAFFIC SIGNS
4.00	EACH	ADJUST WATER VALVE BOXES
1.00	EACH	ADJUST FIRE HYDRANTS
1.00	EACH	RELOCATE FIRE HYDRANTS
2,552.00	SY	REMOVAL EXIST. PCC PAV'T CURB SIDEWALK
12.00	EAMO	FIELD OFFICE, TYPE II
5,683.00	SYIN	PROFILE MILLING, HOT-MIX
1,441.00	LF	SAW CUTTING, HOT MIX
2,123.00	LF	SAW CUTTING, CONCRETE (FULL DEPTH)
2.00	LS	INITIAL EXPENSE
2.00	LS	CONSTRUCTION ENGINEERING
1.00	LS	PROJECT CONTROL SYSTEM DEVELOPMENT PLN
12.00	EAMO	CPM SCHEDULE UPDATES AND/OR REVISIONS

1.00	LS	SITE FURNISHING
1.00	LS	RESTROOM FACILITY
1.00	EACH	BENCH
1.00	EACH	KIOSK, TYPE 1
90.00	HOUR	UTILITY CONSTRUCTION ENGINEERING

Plans, Specifications, and Bidding Proposals may be obtained from:

Contract Administration  
Delaware Department of Transportation  
P.O. Box 778  
Dover, DE 19903  
(302) 760-2030  
FAX (302) 739-2254

**NOTE:** UNOFFICIAL Plans and Specifications; and Official Questions and Answers may be viewed on the Web at <http://bids.delaware.gov> BIDDERS MUST REQUEST A CD OF THE OFFICIAL PLANS AND SPECIFICATIONS FROM THE ABOVE CONTACT IN ORDER TO SUBMIT A BID.

The Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, creed, color, sex, or national origin in consideration for an award.

When it is in the best interest of the State, DelDOT may extend the time and place for the opening of bids from that described above, on not less than two calendar days' notice by certified delivery, facsimile transmission, or by other verifiable electronic means to those bidders who obtained copies of the Plans, Specifications, and Proposals, or contract descriptions.

Each proposal must be accompanied by a deposit of either surety bond or security for a sum equal to at least 10% of the bid.

Department of Transportation  
State of Delaware  
By: Shailen P. Bhatt, Secretary  
Dover, Delaware  
January 14, 2013