



STATE OF DELAWARE
DEPARTMENT OF TRANSPORTATION
800 BAY ROAD
P.O. Box 778
DOVER, DELAWARE 19903

JENNIFER COHAN
SECRETARY

VIA WEBSITE POSTING

March 22, 2017

Contract No. T201780104.01
ADA Upgrades for Bear Bathroom/Showers
New Castle County

Ladies and Gentlemen:

Enclosed is Addendum No. 3 for the referenced contract consisting of the following:

1. The Bid Proposal Cover, revised, to be substituted for the same page in the Proposal.
2. One (1) page, Appendix-A Technical Specifications, Section 087100 - Door Hardware, Part 3 Construction Methods, page 132 of the PDF document, paragraph 3.5 B Door Hardware Schedule, revised, to be substituted for the same page in the Proposal.

Please note the revisions listed above and submit your bid based upon this information.

Sincerely,

~signature on file~

Robert A. Kovacs
Competitively Bid Contracts Coordinator

STATE OF DELAWARE



DEPARTMENT OF TRANSPORTATION

BID PROPOSAL

for

CONTRACT T201780104.01

ADA UPGRADES FOR BEAR BATHROOM/SHOWERS

NEW CASTLE COUNTY

ADVERTISEMENT DATE: February 13, 2017

**PROSPECTIVE BIDDERS ARE ADVISED THAT THERE WILL BE A PRE-BID MEETING THURSDAY
MARCH 2, 2017 AT 2:00 P.M. IN THE CANAL DISTRICT ADMINISTRATION BUILDING, 250
BEAR-CHRISTIANA ROAD, BEAR DE, 19709.**

COMPLETION TIME: ~~180~~ 120 Calendar Days

SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION
DELAWARE DEPARTMENT OF TRANSPORTATION
AUGUST 2001

Bids will be received in the Bidder's Room at the Delaware Department of Transportation's Administration Building, 800 Bay Road, Dover, Delaware until 2:00 P.M. local time ~~March 21~~ **March 28, 2017**

- G. Adjustment: Adjust and check each operating item of door hardware and each door to ensure proper operation or function of every unit. Replace units that cannot be adjusted to operate as intended. Adjust door control devices to compensate for final operation of heating and ventilating equipment and to comply with referenced accessibility requirements.

3.4 ADJUSTING

- A. Initial Adjustment: Adjust and check each operating item of door hardware and each door to ensure proper operation or function of every unit. Replace units that cannot be adjusted to operate as intended. Adjust door control devices to compensate for final operation of heating and ventilating equipment and to comply with referenced accessibility requirements.

1. Door Closers: Adjust sweep period to comply with accessibility requirements and requirements of authorities having jurisdiction.

3.5 DOOR HARDWARE SCHEDULE

A. Set 01

1 ½ Pair Hinges	McKinney	TA2714 4-1/2"x 4-1/2"	US26D/626
1 Privacy Lockset	Corbin Russwin	ML2030 x LWA x M19V*	US26D/626
1 Cylinder	To Match Existing System		
1 Closer	LCN	4040	US26D/626
1 Overhead Stop	Glynn Johnson	81S	US26D/626
3 Silencers	Ives	20 or 21	

*Vacant/Occupied Indicator

B. Set 02

1 ½ Pair Hinges	McKinney	TA2714 4-1/2"x 4-1/2"	US26D/626
<u>1 Passage Lockset</u>	<u>Corbin Russwin</u>	<u>ML2010 x LWA</u>	<u>US26D/626</u>
1 Closer	LCN	4040	US26D/626
1 Overhead Stop	Glynn Johnson	81S	US26D/626
3 Silencers	Ives	20 or 21	
1 Kick Plate			US26D/626
1 DOOR Pull	Rockwood	BF107x70B	US26D/626
1 Push Plate	Rockwood	70B	US26D/626

C. Set 03

1 ½ Pair Hinges	McKinney	TA2714 4-1/2"x 4-1/2"	US26D/626
1 Storeroom Lockset	Corbin Russwin	ML2057 x LWA	US26D/626
1 Cylinder	To Match Existing System		
1 Closer	LCN	4040	US26D/626
1 Overhead Stop	Glynn Johnson	81S	US26D/626
3 Silencers	Ives	20 or 21	