

STATE OF DELAWARE

DEPARTMENT OF TRANSPORTATION

800 BAY ROAD
P.O. BOX 778
DOVER, DELAWARE 19903

JENNIFER COHAN SECRETARY

VIA WEBSITE POSTING

April 12, 2018

Contract No. T201780203.01 Retrofit of BMP 75 on Lancaster Pike New Castle County

Ladies and Gentlemen:

Enclosed is Addendum No. 1 for the referenced contract consisting of the following:

- 1. The Bid Proposal Cover, revised, to be substituted for the same page in the Proposal.
- 2. One (1) page, Plan Sheet 7, revised and replaced, to be substituted for the same page in the Proposal.
- 3. One (1) page, Bid Proposal Form, page 2, revised, to be substituted for the same page in the Proposal. The quantity for Item Number 908008 has been revised.
- 4. Expedite File Disc, Amendments No. 1.

Please note the revisions listed above and submit your bid based upon this information.

Sincerely,
~signature on file~
Robert A. Kovacs
Competitively Bid Contracts Coordinator
Delaware Department of Transportation

STATE OF DELAWARE



DEPARTMENT OF TRANSPORTATION

BID PROPOSAL

for

CONTRACT <u>T201780203.01</u>

Retrofit of BMP 75 on Lancaster Pike


New Castle County

ADVERTISEMENT DATE: March 19, 2018


COMPLETION TIME: 60 Calendar Days

SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION DELAWARE DEPARTMENT OF TRANSPORTATION AUGUST 2016

Bids will be received in the Bidder's Room at the Delaware Department of Transportation's Administration Building, 800 Bay Road, Dover, Delaware prior to 2:00 P.M. local time **April 17, 2018**







NOTES:

1). DESIGN: AASHTO STANDARD SPECIFICATIONS FOR HIGHWAY BRIDGES, 17TH ED., 2002
CONCRETE: LOAD AND RESISTANCE FACTOR DESIGN METHOD
REINFORCING STEEL: Fy=60,000 PSI
2). CONCRETE FOR LOCKETE FOR LEVEL SPREADER SHALL BE CLASS B, 3,000 PSI
3). CHAMFER ALL EXPOSED CORNERS OF CONCRETE SHALL BE CHAMFERED WITH 34" X 34"
MILLED CHAMFER SHEEP, UNLESS OTHERWISE NOTED EXCEPT ON UNEXPOSED FOOTINGS
OR WHERE INDICATED BY THE FOLLOWING NOTATION ON THE PLANS: "DO NOT CHAMFER.


ON WHERE INDICATED BY THE FOLLOWING NOTATION ON THE PLANS: "DO NOT CHAMP!

4), REINFORCING STEEL:
REINFORCING STEEL:
REINFORCING STEEL SHALL CONFORM TO ASTM A 615 GRADE 60, ONLY GRADE 60


CAN BE USED ON THIS PROJECT, MINIMUM COVER FOR ANY BAR SHALL BE 2°

UNLESS OTHERWISE NOTED, WITH THE EXCEPTION OF BARS AT BOTTOM AND SIDES
OF ALL FOOTINGS WHICH SHALL HAVE 2" MINIMUM COVER FOR TIES AND STREUPS:
STANDARD ACI BENDING TOLERANCES ARE MODIFIED TO PLUS (+)ZERO INCHES MINUS
(+) NORIMAL ACI BENDING TOLERANCES ALL SPLICES, NOT SHOWN, SHALL BE LAPPED
AS PER BAR LAP CHARTS.

REINFORCEMENT DETAIL NOT TO SCALE



NOT TO SCALE



ENERGY DISSIPATOR SCHEDULE NOT TO SCALE

DATE: FEB, 2018 **FINAL PLANS**

SHEET NO.

DELAWARE DEPARTMENT OF TRANSPORTATION

ADDENDUMS / REVISIONS **⚠TOPSOIL UPDATES - KSM 04/10/2018**

RETROFIT OF BMP 75 NOT TO SCALE ON LANCASTER PIKE

CONTRACT SHEET TITLE DT-01 T201780203 DESIGNED BY: KSM COUNTY NEW CASTLE CHECKED BY: GAI

CONSTRUCTION DETAILS

TOTAL SHTS.

2

DELAWARE DEPARTMENT OF TRANSPORTATION

SCHEDULE OF ITEMS

PAGE: DATE:

CONTRACT ID: T201780203.01

PROJECT(S): T201780203

All figures must be typewritten.

CONTRA	ACTOR :			
LINE NO	ITEM DESCRIPTION		UNIT PRICE	
	708003 GEOTEXTILES,	90.000 SY	 I	DOLLARO
0110	727030 FENCE RELOCATION	 205.000 LF	 	
	763000 INITIAL EXPENSE/DE-MOBILIZATION	 LUMP	 LUMP	
0130	763501 CONSTRUCTION ENGINEERING	 LUMP	 LUMP 	
	801000 MAINTENANCE OF TRAFFIC	 LUMP	 LUMP	
0150	905001 SILT FENCE	 900.000 LF	 	
0160	907011 STONE CHECK DAM	 10.000 TON		
	907015 TEMPORARY SLOPE DRAIN, 24"	 300.000 LF		
	908008 TOPSOILING, 2" DEPTH	 380.000	 	
	908014 PERMANENT GRASS SEEDING, DRY GROUND	 752.000 SY	 	